

**U. S. Department of Energy  
Condition Assessment Information System  
Request for Change  
Change Request #: 17-09**

Requestor Name:	Renelda Lechner-Strand	Date:	3-27-2017	Affiliation:	
Email Address:	<a href="mailto:Lechnerstrand1@lnl.gov">Lechnerstrand1@lnl.gov</a>	Phone No:	925-423-5839	DOE	
Site Name:	LLNL	HQ Program Office:	NNSA	Contractor	X
Proposed Change:	Allow IUs to be moved from one FIMS asset to another.				
Justification:	<p>Occasionally, IUs for equipment/components need to be moved to another FIMS Facility ID/Number. The move could be the result of a component being repurposed or simply the IU had been entered into CAIS in error.</p> <p>Currently, it is labor intensive to add new IUs to the "new" facility, and then delete the IUs from the "old" Facility, and we lose history associated with the IU Number.</p>				
<b>Please Do Not Type Below This Line</b>					
CCB Remarks:	06/26/2018 – This would function much in the same manner as the current copy IU process. <b>CCB Recommended.</b>				
OAM Remarks:	06/28/2018 – Approved by Adam Pugh				
Implemented:	02/07/2019 – Implemented into CAIS 3.20				

Complete form and email to Adam Pugh ([adam.pugh@hq.doe.gov](mailto:adam.pugh@hq.doe.gov))

